

# Safety data sheet

Page: 1/12

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

#### 1. Identification

**Product identifier** 

# 80-M 034K 0,5L arctic white

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Basecoat product

# Details of the supplier of the safety data sheet

Company:
BASF Coatings GmbH
Postfach 6123
48136 Muenster
Deutschland

Telephone: +49/2501/143688

E-mail address: product-safety-coatings@basf.com

# **Emergency telephone number**

International emergency number: Telephone: +49 180 2273-112

#### 2. Hazards Identification

# Classification of the substance or mixture

According to UN GHS criteria

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

Skin Corr./Irrit. 3 Flam. Liq. 4

For the classifications not written out in full in this section the full text can be found in section 16.

### Label elements

#### Globally Harmonized System, UN (GHS)

Signal Word: Warning

Hazard Statement:

H227 Combustible liquid. H316 Causes mild skin irritation.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

Precautionary Statements (Response):

P332 + P313 If skin irritation occurs: Get medical attention. P370 + P378 In case of fire: Use water spray for extinction.

Precautionary Statements (Storage):

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

#### Other hazards

# According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### 3. Composition/Information on Ingredients

### Substances

Not applicable

## **Mixtures**

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

#### Chemical nature

inorganic compounds, Water, organic solvent, pigment, saturated polyester resin, polyurethane

### Hazardous ingredients (GHS)

According to UN GHS criteria

### 2-Butoxyethanol

Content (W/W): >= 5 % - < 7 % Flam. Liq. 4
CAS Number: 111-76-2 Eye Irrit. 2A
EC-Number: 203-905-0 Acute Tox. 4 (oral)

INDEX-Number: 603-014-00-0 Skin Irrit. 2

H227, H319, H315, H302

#### 2-(2-Butoxyethoxy)ethanol

Content (W/W): >= 2 % - < 2,5 % Acute Tox. 5 (oral) CAS Number: 112-34-5 Acute Tox. 5 (dermal)

EC-Number: 203-961-6 Skin Irrit. 3 INDEX-Number: 603-096-00-8 Eve Irrit. 2A

H319, H316, H303 + H313

For the classifications not written out in full in this section the full text can be found in section 16.

### 4. First-Aid Measures

#### **Description of first aid measures**

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Remove affected person from danger area. Immediately remove contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice. If breathing is irregular or stopped, administer artificial respiration.

#### On skin contact:

If symptoms persist, seek medical advice. Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Do NOT use solvents or thinners.

### On contact with eyes:

If symptoms persist, seek medical advice. Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution.

#### On ingestion:

Do not induce vomiting. Rinse mouth thoroughly with water, seek medical attention. If adverse health effects develop seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: No data available.

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

Antidote: No known specific antidote.

## 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media: carbon dioxide, alcohol-resistant foam, dry powder, water spray

Unsuitable extinguishing media for safety reasons: water jet

### Special hazards arising from the substance or mixture

Fire will produce dense black smoke. Inhalation of dangerous decomposition products may cause serious damage to health.

### Advice for fire-fighters

Special protective equipment:

Appropriate breathing apparatus may be required.

#### Further information:

Cool closed containers in the vicinity of the source of fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

### 6. Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours. For non-emergency personnel: Use personal protective clothing. Ensure adequate ventilation. Keep away from sources of ignition. For emergency responders: Advice on product handling can be found in sections 7 and 8 of this safety data sheet. Information regarding personal protective measures, see section 8.

#### **Environmental precautions**

Do not allow to enter drains or waterways. If the product enters drains or sewers, the local water company should be contacted immediately; in the case of contamination of streams, rivers or lakes, the Environment Agency. Do not discharge into the subsoil/soil.

### Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container for disposal according with the waste regulations (see section 13). Clean preferably with a detergent; avoid the use of solvents. Ensure adequate ventilation.

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

## 7. Handling and Storage

### Precautions for safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Do not return residues to the storage containers. Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. Avoid inhalation of vapour and spray mist. The workplace should be equipped with an emergency shower and eyerinsing facility. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. The relevant fire protection measures should be noted.

### Conditions for safe storage, including any incompatibilities

Keep away from oxidising agents, from strongly alkaline and strongly acid materials.

Suitable materials for containers: Stainless steel 1.4301 (V2), Polypropylene (PP), Polyethylenetherephtalate (PET), Low density polyethylene (LDPE), High density polyethylene (HDPE), Stove-lacquer C222A/C221A, Stove-lacquer NOVOCAN S-G 500, Stove-lacquer Vitalure 745, Stove-lacquer EHD0022, Stove-lacquer 79/14/3 (Müller/CH), Stove-lacquer R 78433, Stove-lacquer RDL 50

Further information on storage conditions: Keep container dry. Keep in a cool, well-ventilated place. Avoid direct sunlight. Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel. Always keep in containers of same material as the original one. Observe label precautions. Store protected against freezing.

Storage stability:

Storage temperature: 5,00 - 40,00 °C

#### Specific end use(s)

Please refer to the technical leaflet for further information.

### 8. Exposure Controls/Personal Protection

#### **Control parameters**

Components with occupational exposure limits

111-76-2: 2-Butoxyethanol

112-34-5: 2-(2-Butoxyethoxy)ethanol

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

### **Exposure controls**

#### Personal protective equipment

Respiratory protection:

Suitable respiratory protection: e.g. half-mask with A1P2 class combination filter

Hand protection:

Hand protection not required.

Eve protection:

Eye protection not required.

#### Body protection:

Body protection not required., Personnel should wear antistatic, flame-retardant clothing made of natural fibres and/or heat-resistant synthetic fibres.

### General safety and hygiene measures

Do not breathe vapour/spray. Eye wash fountains and safety showers must be easily accessible. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. This can be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn. Remove contaminated clothing immediately and dispose of safely. Hands and/or face should be washed before breaks and at the end of the shift. Keep separated from food stuffs and feed stocks.

### 9. Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

State of matter: liquid
Form: liquid
Colour: white
Odour: of glycol

Melting point:

not determined

onset of boiling:

not determined

Flammability: Combustible liquid.

Lower explosion limit: 36 g/m3 Flash point: > 70 °C

Flash point:  $> 70 \, ^{\circ}\text{C}$  (ISO 3679)

Auto-ignition temperature: > 200,00 °C

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

pH value: 7,3 - 8,0 Viscosity, kinematic: 196,5 mm2/s (23 °C)

(40 °C)

No data available.

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Vapour pressure:

(20 °C)

not determined

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

(50 °C)

not determined

Density: 1,639 g/cm3

(20 °C)

Relative vapour density (air):

Water content greater than 10%.

### 9.2. Other information

### Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Flammable solids

Burning rate: The material doesn't meet the criteria (UN Test N.1 (ready

specified in paragraph 33.2.4.4 of UN combustible solids))

manual of tests and criteria.

Self-heating substances and mixtures

Self heating ability: It is not a material capable of

spontaneous heating

#### Other safety characteristics

Miscibility with water:

miscible

Flow time: > 60 s (DIN EN ISO 2431; 5 mm)

(23 °C)

## 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

### Conditions to avoid

Avoid direct sunlight. Avoid all sources of ignition: heat, sparks, open flame. Avoid freezing.

#### Incompatible materials

Substances to avoid:

Keep away from highly acidic or alkaline substances as well as oxidants in order to prevent exothermal reactions.

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

# **Hazardous decomposition products**

.

When exposed to high temperatures hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomeric isocyanates may be produced., No hazardous decomposition products if stored and handled as prescribed/indicated.

# 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Exposure to component solvent vapour concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effect on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Repeated and prolonged exposure to solvents at levels significantly above OELs may lead to the development of long-lasting central nervous system disorders such as chronic toxic encephalopathy, signs of toxicity include changes in behaviour and memory. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Based on available data, the classification criteria are not met.

### **Irritation**

Assessment of irritating effects:

Not irritating to the eyes. Skin contact causes slight irritation.

#### Respiratory/Skin sensitization

Assessment of sensitization:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity

Assessment of carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Assessment of reproduction toxicity:

Based on available data, the classification criteria are not met.

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

#### Developmental toxicity

Assessment of teratogenicity:

Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available data, the classification criteria are not met.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

No aspiration hazard expected.

# 12. Ecological Information

# **Toxicity**

Assessment of aquatic toxicity:

There are no test results available for this product. Do not allow to enter drains or waterways. Based on available data, the classification criteria are not met.

## Persistence and degradability

Assessment biodegradation and elimination (H2O):

No data available concerning biodegradation and elimination.

# Bioaccumulative potential

Bioaccumulation potential:

No data available.

### Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

# 13. Disposal Considerations

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

#### Waste treatment methods

Do not discharge into drains/surface waters/groundwater.

Observe national and local legal requirements.

#### Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# 14. Transport Information

### Land transport

**ADR** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

### Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

#### Sea transport

#### **IMDG**

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

### Air transport

#### IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

### Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

### 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

#### 16. Other Information

For multi-pack systems observe material safety data sheets of all components. Restricted to professional users.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Skin Corr./Irrit.

Flam. Liq.

Eye Irrit.

Acute Tox.

Skin corrosion/irritation
Flammable liquids
Eye irritation
Acute toxicity
Skin Irrit.

H227

Skin corrosion/irritation
Flammable liquids
Eye irritation
Acute toxicity
Skin irritation
Combustible liquid.

H319 Causes serious eye irritation.

Page: 12/12

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 31.07.2024 Version: 5.1

Product: 80-M 034K 0,5L arctic white

(ID no. 50481910/SDS\_GEN\_00/EN)

Date of print 01.08.2024

H315 Causes skin irritation. H302 Harmful if swallowed. H316 Causes mild skin irritation.

H303 + H313 May be harmful if swallowed or in contact with skin.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.